

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 product identifier

trade name	Tagmentation Buffer (2x)
registration number (REACH)	not relevant (mixture)
product code(s)	C01019043

1.2 relevant identified uses of the substance or mixture and uses advised against

relevant identified uses	for research use only, not for use in diagnostic or therapeutic procedures.
--------------------------	---

1.3 details of the supplier of the safety data sheet

Diagenode SA
LIEGE SCIENCE PARK Rue du Bois Saint-Jean, 3
4102 Seraing
Belgium

telephone: +32 4 364 20 50

1.4 emergency telephone number

emergency information service	+32 4 364 20 50 this number is only available during the following of- fice hours: Mon-Fri 09:00 AM - 05:00 PM
-------------------------------	--

poison centre		
country	name	telephone
United Kingdom	National Poisons Information Service	111

SECTION 2: Hazards identification

2.1 classification of the substance or mixture

classification according to Regulation (EC) No 1272/2008 (CLP)

section	hazard class	category	hazard class and category	hazard statement
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.7	reproductive toxicity	1B	Repr. 1B	H360D

for full text of abbreviations: see SECTION 16.

the most important adverse physicochemical, human health and environmental effects

the product is combustible and can be ignited by potential ignition sources.

2.2 label elements

labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word danger

- pictograms

GHS02, GHS07, GHS08



Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

- hazard statements
 - H226 flammable liquid and vapour.
 - H319 causes serious eye irritation.
 - H360D may damage the unborn child.
- precautionary statements
 - P210 keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - P280 wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....
 - P308+P313 IF exposed or concerned: Get medical advice/attention.
 - P337+P313 if eye irritation persists: Get medical advice/attention.
 - P370+P378 in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
 - P403+P235 store in a well-ventilated place. Keep cool.
 - P501 dispose of contents/container to industrial combustion plant.
- hazardous ingredients for labelling N,N-dimethylformamide

2.3 other hazards

of no significance


SECTION 3: Composition/information on ingredients

3.1 substances

not relevant (mixture)

3.2 mixtures

description of the mixture

name of substance	identifier	wt%	classification acc. to GHS	pictograms
N,N-dimethylformamide	CAS No 68-12-2 EC No 200-679-5 index No 616-001-00-X REACH Reg. No 01-2119475605-32-xxxx	≤ 20	Flam. Liq. 3 / H226 Acute Tox. 4 / H312 Acute Tox. 3 / H331 Eye Irrit. 2 / H319 Repr. 1B / H360D	

name of substance	Specific Conc. Limits	M-Factors	ATE	exposure route
N,N-dimethylformamide	-	-	1,100 mg/kg 5.85 mg/l/4h	dermal inhalation: vapour

for full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 description of first aid measures

general notes

do not leave affected person unattended. remove victim out of the danger area. keep affected person warm, still and covered. take off immediately all contaminated clothing. in all cases of doubt, or when symptoms persist, seek medical advice. in case of unconsciousness place person in the recovery position. Never give anything by mouth.

following inhalation

if breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. provide fresh air.

following skin contact

wash with plenty of soap and water.

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

following eye contact

remove contact lenses, if present and easy to do. Continue rinsing. irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

following ingestion

rinse mouth with water (only if the person is conscious). do NOT induce vomiting.

4.2 most important symptoms and effects, both acute and delayed

symptoms and effects are not known to date.

4.3 indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 extinguishing media

suitable extinguishing media

water spray, BC-powder, carbon dioxide (CO₂)

unsuitable extinguishing media

water jet

5.2 special hazards arising from the substance or mixture

in case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. solvent vapours are heavier than air and may spread along floors. places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 advice for firefighters

in case of fire and/or explosion do not breathe fumes. co-ordinate firefighting measures to the fire surroundings. do not allow firefighting water to enter drains or water courses. collect contaminated firefighting water separately. fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 personal precautions, protective equipment and emergency procedures

for non-emergency personnel

remove persons to safety.

for emergency responders

wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 environmental precautions

keep away from drains, surface and ground water. retain contaminated washing water and dispose of it.

6.3 methods and material for containment and cleaning up

advice on how to contain a spill

covering of drains

advice on how to clean up a spill

wipe up with absorbent material (e.g. cloth, fleece). collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

appropriate containment techniques

use of adsorbent materials.

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

other information relating to spills and releases
place in appropriate containers for disposal. ventilate affected area.

6.4 reference to other sections

hazardous combustion products: see section 5. personal protective equipment: see section 8. incompatible materials: see section 10. disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 precautions for safe handling

recommendations

- measures to prevent fire as well as aerosol and dust generation
use local and general ventilation. avoidance of ignition sources. keep away from sources of ignition - No smoking. take precautionary measures against static discharge. use only in well-ventilated areas. due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. ground/bond container and receiving equipment. use explosion-proof electrical/ventilating/lighting/equipment. use only non-sparking tools.
- specific notes/details
places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. vapours are heavier than air, spread along floors and form explosive mixtures with air. vapours may form explosive mixtures with air.

advice on general occupational hygiene

wash hands after use. do not eat, drink and smoke in work areas. remove contaminated clothing and protective equipment before entering eating areas. never keep food or drink in the vicinity of chemicals. never place chemicals in containers that are normally used for food or drink. keep away from food, drink and animal feedingstuffs.

7.2 conditions for safe storage, including any incompatibilities

managing of associated risks

- explosive atmospheres
keep container tightly closed and in a well-ventilated place. use local and general ventilation. keep cool. protect from sunlight.
- flammability hazards
keep away from sources of ignition - No smoking. keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. take precautionary measures against static discharge. protect from sunlight.

control of effects

protect against external exposure, such as

frost

- ventilation requirements
use local and general ventilation. ground/bond container and receiving equipment.
- packaging compatibilities
only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 specific end use(s)

see section 16 for a general overview.

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

SECTION 8: Exposure controls/personal protection

8.1 control parameters

occupational exposure limit values (Workplace Exposure Limits)											
country	name of agent	CAS No	identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	notation	source
EU	N,N-dimethylformamide	68-12-2	IOELV	5	15	10	30				2009/161/EU
GB	N,N-dimethylformamide	68-12-2	WEL	5	15	10	30				EH40/2005

notation

Ceiling-C

STEL

TWA

ceiling value is a limit value above which exposure should not occur
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

relevant DNELs of components of the mixture						
name of substance	CAS No	endpoint	threshold level	protection goal, route of exposure	used in	exposure time
N,N-dimethylformamide	68-12-2	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
N,N-dimethylformamide	68-12-2	DNEL	30 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
N,N-dimethylformamide	68-12-2	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
N,N-dimethylformamide	68-12-2	DNEL	30 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
N,N-dimethylformamide	68-12-2	DNEL	3.31 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
N,N-dimethylformamide	68-12-2	DNEL	26.3 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
N,N-dimethylformamide	68-12-2	DNEL	446 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
N,N-dimethylformamide	68-12-2	DNEL	5,900 µg/cm ²	human, dermal	worker (industry)	acute - local effects

relevant PNECs of components of the mixture						
name of substance	CAS No	endpoint	threshold level	organism	environmental compartment	exposure time
N,N-dimethylformamide	68-12-2	PNEC	30 mg/l	aquatic organisms	freshwater	short-term (single instance)
N,N-dimethylformamide	68-12-2	PNEC	3 mg/l	aquatic organisms	marine water	short-term (single instance)
N,N-dimethylformamide	68-12-2	PNEC	123 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
N,N-dimethylformamide	68-12-2	PNEC	115.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

relevant PNECs of components of the mixture						
name of substance	CAS No	endpoint	threshold level	organism	environmental compartment	exposure time
N,N-dimethylformamide	68-12-2	PNEC	11.52 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
N,N-dimethylformamide	68-12-2	PNEC	56.97 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 exposure controls

appropriate engineering controls

general ventilation.

individual protection measures (personal protective equipment)

eye/face protection

wear eye/face protection.

skin protection

- hand protection

wear suitable gloves. chemical protection gloves are suitable, which are tested according to EN 374. check leak-tightness/impermeability prior to use. in the case of wanting to use the gloves again, clean them before taking off and air them well. for special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- other protection measures

take recovery periods for skin regeneration. preventive skin protection (barrier creams/ointments) is recommended. wash hands thoroughly after handling.

respiratory protection

in case of inadequate ventilation wear respiratory protection.

environmental exposure controls

use appropriate container to avoid environmental contamination. keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

physical state	liquid
colour	colourless
odour	characteristic
melting point/freezing point	not determined
boiling point or initial boiling point and boiling range	not determined
flammability	flammable liquid in accordance with GHS criteria
lower and upper explosion limit	not determined
flash point	not determined
auto-ignition temperature	not determined

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

decomposition temperature	not relevant
pH (value)	not determined
kinematic viscosity	not determined
solubility(ies)	not determined

partition coefficient

partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

vapour pressure	not determined
-----------------	----------------

density and/or relative density

density	not determined
---------	----------------

particle characteristics	no data available
--------------------------	-------------------

9.2 other information

information with regard to physical hazard classes	there is no additional information
other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 reactivity

concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". the mixture contains reactive substances). risk of ignition.

if heated:

risk of ignition

10.2 chemical stability

see below "Conditions to avoid".

10.3 possibility of hazardous reactions

no known hazardous reactions.

10.4 conditions to avoid

keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

hints to prevent fire or explosion

use explosion-proof electrical/ventilating/lighting/equipment. use only non-sparking tools. take precautionary measures against static discharge.

10.5 incompatible materials

oxidisers

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

10.6 hazardous decomposition products

reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 information on hazard classes as defined in Regulation (EC) No 1272/2008

test data are not available for the complete mixture.

classification procedure

the method for classification of the mixture is based on ingredients of the mixture (additivity formula).

classification according to GHS (1272/2008/EC, CLP)

acute toxicity

shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: may be harmful if inhaled.

skin corrosion/irritation

shall not be classified as corrosive/irritant to skin.

serious eye damage/eye irritation

causes serious eye irritation.

respiratory or skin sensitisation

shall not be classified as a respiratory or skin sensitiser.

germ cell mutagenicity

shall not be classified as germ cell mutagenic.

carcinogenicity

shall not be classified as carcinogenic.

reproductive toxicity

may damage the unborn child.

specific target organ toxicity - single exposure

shall not be classified as a specific target organ toxicant (single exposure).

specific target organ toxicity - repeated exposure

shall not be classified as a specific target organ toxicant (repeated exposure).

aspiration hazard

shall not be classified as presenting an aspiration hazard.

11.2 information on other hazards

there is no additional information.

SECTION 12: Ecological information

12.1 toxicity

shall not be classified as hazardous to the aquatic environment.

12.2 persistence and degradability

data are not available.

12.3 bioaccumulative potential

data are not available.

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

12.4 mobility in soil

data are not available.

12.5 results of PBT and vPvB assessment

data are not available.

12.6 endocrine disrupting properties

information on this property is not available.

12.7 other adverse effects

data are not available.

SECTION 13: Disposal considerations

13.1 waste treatment methods

waste treatment-relevant information

solvent reclamation/regeneration.

sewage disposal-relevant information

do not empty into drains. avoid release to the environment. Refer to special instructions/safety data sheets.

waste treatment of containers/packagings

it is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. completely emptied packages can be recycled. handle contaminated packages in the same way as the substance itself.

remarks

please consider the relevant national or regional provisions. waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN	UN 1993
IMDG-Code	UN 1993
ICAO-TI	UN 1993

14.2 UN proper shipping name

ADR/RID/ADN	FLAMMABLE LIQUID, N.O.S.
IMDG-Code	FLAMMABLE LIQUID, N.O.S.
ICAO-TI	Flammable liquid, n.o.s.
technical name (hazardous ingredients)	N,N-dimethylformamide

14.3 transport hazard class(es)

ADR/RID/ADN	3
IMDG-Code	3
ICAO-TI	3

14.4 packing group

ADR/RID/ADN	III
IMDG-Code	III
ICAO-TI	III

Tagmentation Buffer (2x)


version number: GHS 1.0

date of compilation: 2021-02-08


- 14.5 environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 special precautions for user** provisions for dangerous goods (ADR) should be complied within the premises.
- 14.7 maritime transport in bulk according to IMO instruments** the cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations


transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

classification code	F1
danger label(s)	3
	
special provisions (SP)	274, 601
excepted quantities (EQ)	E1
limited quantities (LQ)	5 L
transport category (TC)	3
tunnel restriction code (TRC)	D/E
hazard identification No	30
Emergency Action Code	3Y

International Maritime Dangerous Goods Code (IMDG) - additional information

marine pollutant	-
danger label(s)	3
	
special provisions (SP)	223, 274, 955
excepted quantities (EQ)	E1
limited quantities (LQ)	5 L
EmS	F-E, <u>S-E</u>
stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

danger label(s)	3
	
special provisions (SP)	A3
excepted quantities (EQ)	E1
limited quantities (LQ)	10 L

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

SECTION 15: Regulatory information

15.1 safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

abbreviations and acronyms

abbr.	descriptions of used abbreviations
2009/161/EU	Commission Directive establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code

Tagmentation Buffer (2x)

version number: GHS 1.0

date of compilation: 2021-02-08

abbr.	descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

classification procedure

physical and chemical properties: the classification is based on tested mixture.

health hazards, environmental hazards: the method for classification of the mixture is based on ingredients of the mixture (additivity formula).

list of relevant phrases (code and full text as stated in chapter 2 and 3)

code	text
H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H360D	May damage the unborn child.

disclaimer

this information is based upon the present state of our knowledge. this SDS has been compiled and is solely intended for this product.